

2020 PRODUCT GUIDE



THE EVOLUTION

STABILIZER TECHNOLOGY

www.**AXCELARCHERY**.COM





MOUNTS:



FOR USE WITH TWO SIDE BARS ITEM: STVM-BK

FEATURES 3 RAISED BOSSES IN THE TAPER LOCK CONNECTION, INSURING FULL CONTACT BETWEEN MATED PARTS FOR A STRONGER CONNECTION.

ANCHOR GRIPTM PATENT PENDING

ND LOCK WITH BITING TEETH FOR STRONGER, MORE SECURE ATTACHMENT - EASY 45° ADJUSTABILITY IN BOTH DIRECTIONS

INTEGRATED CENTER LOCK™

QUICK DISCONNECTS ALLOW YOU TO ADD AND REMOVE STABILIZER BARS QUICKLY FOR TRANSPORT AND STORAGE. FEATURES INTERNAL TONGUE AND GROOVE SYSTEM - KEEPS STABILIZER BAR CENTERED, AND PROVIDES GREATER RIGIDITY & SECURITY TO THE STABILIZER BAR CONNECTION. MUST LOOSEN STABILIZER 1-FULL TURN TO REMOVE.







40°

FYF BOIT ITEM: SEVM-BK ALSO SOLD SEPARATELY



ITEM: STVM-4514-BK COLOR CODE: FI FIXED BAR MOUNT OUT ANGLE: 45° = 45 40° = 40 35° = 35 DOWN ANGLE: 0° = 00 7° = 07 14° = 14

STABILIZER WEIGHTS:

ALUMINUM WEIGHTS

DIAMETER	WEIGHT (OZ.)	ITEM CODE
1"	0.3	SW0.3-1- <u>color</u>
1.25" BALL	1.3	SW1.3-1.25B- <u>color</u>





COLOR CODE (ALUMINUM WEIGHTS ONLY):













STAINLESS STEEL WEIGHTS

MAINTESS SIELE WEIGHIS		
DIAMETER	WEIGHT (OZ.)	ITEM CODE
1"	1, 2, 3, 4	SW <u>WEIGHT</u> -1-COLOR
1.25"	2, 4, 6, 10	SWWEIGHT-1.25-COLOR
1.25" BALL	4	SW4-1.25B- <u>color</u>
1.5"	3	\$W3-1.5- <u>COLOR</u>
1.75"	4	SW4-1.75- <u>COLOR</u>



SW4-1.25-SST



SW1.3-1.25B-PR

SW2-1.25-SST



COLOR CODE (STAINLESS STEEL WEIGHTS ONLY):

SST BN
STAINLESS STEEL BLACK NITRIDE STAINLESS STEEL

SW4-1.25B-BN

SEC0.3-1-BK

PACKS, STACKS, & END CAPS

PACK OF 3: SW1-1-3P-SST (OR BN) - THE 10Z, 1" DIAMETER WEIGHT IN A PACK OF 3

100z STACK: SW10-STK-SST (OR BN) - 1 EA: 102 1" DIA., 20Z 1.25" DIA., 30Z 1.5" DIA., AND 40Z 1.75" DIA.

END CAP: SECO.3-1-BK - STABILIZER END CAP, BLACK WITH LOGO





AXCEL® ENGINEERING HAS DEVELOPED AN ADVANCED PROPERTIES BIO-COMPOSITE HYBRID ARCHERY STABILIZER USING NATURAL FLAX FIBERS AND ULTRA HIGH MODULUS CARBON MATERIAL

SEE BACK COVER FOR MORE INFORMATION

TOPERO





24" SCFP-500-24BB 27" SCFP-500-27BB

30" SCFP-500-30BB

33" SCFP-500-33BB



KRYPTOS ARC 1EA. - 1" DIA. 1OZ WEIGHT 1 EA. - 1" DIA. 2OZ WEIGHT INCLUDES:

24" SCFP-650-24BB 27" SCFP-650-27BB

30" SCFP-650-30BB

33" SCFP-650-33BB

SIDE RODS:



10" SCFP-500-10BB

12" SCFP-500-12BB

15" SCFP-500-15BB



INCLUDES:

10" SCFP-650-10BB

12" SCFP-650-12BB

15" SCFP-650-15BB

EXTENSION:



HUNTING STABILIZERS:

.500 DIA. 3" SCFX-500-3BB

4" SCFX-500-4BB

5" SCFX-500-5BB




.650 DIA.

3" SCFX-650-3BB

4" SCFX-650-4BB

5" SCFX-650-5BB







.650 DIA.

8" SCFX-650-8 COLOR CHOICE 10" SCFX-650-10 COLOR CHOICE

COLOR CODE: BLACK

GRAY YB

®



QUICK DISCONNECTS ALLOW YOU TO ADD AND REMOVE STABILIZER BARS QUICKLY FOR TRANSPORT AND STORAGE. FEATURES INTERNAL TONGUE AND GROOVE SYSTEM – KEEPS STABILIZER BAR CENTERED, AND PROVIDES GREATER RIGIDITY & SECURITY TO THE STABILIZER BAR CENTERED, AND PROVIDES GREATER MUST LOOSEN STABILIZER 1-FULL TURN TO REMOVE.







SCQD-0-BK 0° DOWN



SCQN-8-BK



SCQD-8-BK 8° DOWN



SCQN-16-BK



SCQD-16-BK 16° DOWN

ADJUSTABLE VIBRATION DAMPENER

SKRP-COLOR CODE (5/16" - 24 THREAD)

SKRP-25-COLOR CODE (1/4" - 20 THREAD)





GOLD-<u>GB</u>







- STRONG PROPRIETARY RUBBER MATERIAL SUPPORTS UP TO 300Z, WEIGHTS

- 1-50Z. WEIGHTS, LOOSEN COUNTER-CLOCKWISE ALL THE WAY TO STOP. 5-1002. WEIGHTS, TIGHTEN CLOCKWISE 1 REVOLUTION (LINE 1).
10-3002. WEIGHTS, TIGHTEST CLOCKWISE SETTING 2 REVOLUTIONS (LINE 2).



KRYPTOS ARI VIBRATION DAMPENER



SKRA-BK (5/16" - 24 THREAD)



- EQUALLY SPACED RIBS AROUND THE CIRCUMFERENCE FOR SUPERIOR Z-AXIS VIBRATION REDUCTION.

ARC-SHAPED SCALLOPED RINGS WITH SMALLEST DIAMETER GROOVES IN THE MIDDLE FOR SUPERIOR X-AXIS AND Y-AXIS VIBRATION REDUCTION.

- STRONG PROPRIETARY RUBBER MATERIAL SUPPORTS UP TO 1002. WEIGHTS - OVERALL WEIGHT = 10Z.







SADS-SST -STABILIZER ADAPTER SCREW - IF ATTACHING TO 1/4" - 20 STABILIZER AND WEIGHTS (5/16" - 24 TO 1/4" - 20 THREAD)





AXCEL® ENGINEERING HAS DEVELOPED AN ADVANCED PROPERTIES BIO-COMPOSITE HYBRID ARCHERY STABILIZER USING NATURAL FLAX FIBERS AND ULTRA HIGH MODULUS CARBON MATERIAL



SPORTS & LEISURE RACKETS BIKE FRAMES BOARDS

ADVANTAGE: DAMPENING PROPERTIES LIGHTWEIGHT

TRANSPORTATION **AERONAUTIC** AUTOMOTIVE BOATS

TRAINS


ADVANTAGE: WEIGHT REDUCTION

BETTER DAMPENING PROPERTIES FLAX FIBERS POSSESS A MUCH HIGHER VIBRATION DAMPENING CAPACITY

DAMPENING PROPERTIES

Low frequency dampening (flexion/mode 2):

Product	Dampening ratio
UD Flax	1.47%
UD Carbon	0.18%
UD Glass	0.15%



ITEMS IN THIS CATALOG MAY BE PATENT PENDING OR COVERED BY US PATENTS & REGISTERED TRADEMARKS.

VISIT

WWW.TRUBALL.COM/LEGAL.HTML

WWW.AXCELSIGHTS.COM/LEGAL.HTML

FOR A FULL LIST OF PATENTS & TRADEMARKS.



PERFORMANCE

Flax composites result in stronger, lighter, and better products.



VIBRATION DAMPENING

Natural damping enhances product feel by absorbing higher frequency vibrations. Flax offers 3x the vibration damping of glass and 20% more than carbon.



ECOLOGICAL

Flax is plant-based rather than from fossil fuels. CO2 negative fiber and eco-resin is worker and planet friendly.



We Make Archery Better!



434-929-2800

434-929-5630

